


Le Velvet Karo is a furniture material innovation that offers a wide range of application possibilities. Wadding and fleece are quilted in a diamond pattern in a new manufacturing process.

This results in an exciting chequered appearance that is also ideal for carcase coverings, such as bed headboards for example. An eye-catcher for any room.













Article specification:

 Roll length:
 \sim 40 m
 Width:
 142 cm + | - 2 cm

 Usable width:
 142 cm + | - 2 cm Weight m DIN EN 12127:
 750 g + | - 5 %

 Thickness:
 1.5 mm + | -2 % Weight m² DIN EN 12127:
 530 g + | -5 %

Composition:



Surface EU 1007|2011:

100% polyester

Base EU 1007|2011:

100% polyester

Product profile for upholstery farbics in living areas | according to DIN EN 14465:2006

	Abrasion test (cycles) EN ISO 12947-1,2	50.000 (loss of pile)	category >80.000 (Martindale)
	Pilling test EN ISO 12945-2 (2.000 T)	5	А
	Tensile strength EN ISO 13934-1 warp: weft:	570 N 430 N	A B
Q	Tear growth resistance EN ISO 13937-3 warp: weft:	100 N 70 N	A A
	Resistance seam slippage EN ISO 13936-2 warp: weft:	2.0 mm 2.0 mm	A A
	Fastness to rubbing dry EN ISO 105-X12 bright colors dark colors	4-5 4-5	A A
	Fastness to rubbing wet EN ISO 105-X12 bright colors: dark colors:	4-5 4	A A
	Fastness to light EN ISO 105-B02-2 bright colors: dark colors:	5 4-5	B B
	Permissible color tolarance DIN EN 20105-A02	min. grade 4	passed

Typical product characteristics:

Slight color and structure deviations between the production batches are unavoidable. Any velour fabric will flatten during use, therefore pile layer changes | seat marks are unavoidable. Depending on the material, a slight streaking effect may occur. A change in the color, depending on the incidence of light, is in the nature of velour. Pilling is unavoidable and can also be caused by the adhesion of foreign fibers. A certain degree of fading of the colors, which can occur due to incidence of light or abrasion due to stress, is common for the fabric. Light colors show dirt and denim abrasion faster and more clearly than dark colors. In the case of light colors, color migration can occur in combination with dark or intensive color tones. Dark and intensive colors can be sensitive to abrasion, velour fabrics may also be sensitive to scratch and pressure marks, therefore pile loss can occur.

October 2020 www.eurotex2000.com

CLEANING INSTRUCTIONS

Daily care and at-home cleaners can keep your fabric looking beautiful for years. In the case of a spill, stain, or general wear and tear, follow our tips on how to clean a fabric.



For cleaning you need distilled water and a ph neutral shampoo.



You need a white, clean and soft cotton cloth. Use this to remove the stain in circular motions and allow the area to dry.



Cleaning only with the vacuum cleaner nozzle.

Recommended care labeling:







bleaching



drvina



ironing



dry cleaning

Instructions for use and care:

Please take note of the instructions for use and care at www.eurotex2000.com/Care instructions. We assume no warranty for damage caused by improper use, cleaning, care, subsequent impregnation and pets.

Cleaning instruction:

Important information and useful tips for optimum cleaning and care of your upholstery fabric can be found at www.2-clean.de. Further cleaning will have to be done by professionals who specialize in how to clean with this description.

Special equipment:



water repellent

Proved by:













www.oeko-tex.com

